### CORNWALL COUNTY COUNCIL.

# Sanitary Committee.

## Monthly Report for February, 1895.

There can be no doubt that we are having a long and exceptionally cold winter. The returns from our meteorological observers show that the temperature has fallen month after month, until it has reached the—for Cornwall—extraordinarily low average of a trifle over 33°, with a mean daily range of nearly 10°; minimums as low as 10° and 12°5 being registered at Launceston and Bude. The intense cold throughout the past month has indeed been very remarkable. Taking three points lengthways of the county and approximately in a line with each other, and covering about 90 miles as the crow flies, we find that at Liskeard the note by one of the most careful of our observers is—"average temperature about 9°5 below average of past 32 years, and lowest February reading for 32 years;" at Redruth the observer records "frost every day except the last, the frost having lasted 34 consecutive days;" and at Scilly Islands the observer's remark is "unprecedented prolonged cold during the month." The reports from our other stations are similar, and show that the temperature settled down to a very low point in every part of Cornwall. In this great frost, however, we have only been sharing in a mitigated degree in what has been general throughout the kingdom. The Thames and other large rivers have been locked with ice and rendered unnavigable; the Serpentine has been frozen over so thickly that a regiment of Guards going through their evolutions on it, and as many as one hundred thousand people skating and sliding on it on one day, have apparently made no difference to the ice; and miles of water-mains and service-pipes have been frozen under the streets of London and other large towns. The pictures which have appeared from week to week in The Graphic, Illustrated London News, and other pictorial journals, are such as might be expected in accounts of Expeditions to the North Pole rather than as illustrations of climate in England. It is generally acknowledged that nothing of the sort has been known in this country since the Crimean win

Naturally, such conditions have been severely felt, especially by the poor; but the effect on our death-rates has not been anything like so great as might have been expected, the general mortality having only risen from 20·21 to 23·51, and being only 2·33 per 1,000 more than in February of last year. And, as has been the case for several months past, a large proportion (this month, 60 per cent.) of those who have died have been aged persons over 65 years and infants under 1 year. The zymotic death-rate has risen from 1·37 to 1·88, the difference being accounted for principally by the increased number of deaths from measles; but on the other hand, the general disease-rate has fallen from 0·51 to 0·41, and it would have been considerably lower even than this but for the lamentable outbreak of typhoid at Phillack.

Diphtheria has the same number of cases this mouth as in January, but there has only been one death as compared with 5 in that month. The principal centres are Boscastle district 3 cases, and Camborne 4 cases and 1 death.

Erysipelas has decreased from 27 cases and 1 death last month to 16 cases this. The figures are pretty closely following the seasonal variations which have been noted for this disease.

Scarlet Fever has again lessened, there being only 64 cases as compared with 93 last month, and with 112 cases and 5 deaths in the corresponding month of last year. But although the cases have been greatly less, the fatality has been comparatively greater, there having been 4 deaths this month, 2 of them in the Paul Urban district.

Typhoid has unhappily doubled its cases and trebled its fatality, there being 27 cases with 3 deaths as compared with 14 cases and 1 death last month. Fifteen of the cases and all the deaths this months have been at Ventonleague, Phillack. Efforts are being made to discover the cause of this outbreak—which is serious on a small population of about 4,000—but it had not been ascertained when the M.O.H. made his report Three other cases in one house are reported from Constantine in East Kerrier (late Falmouth) Rural district, "probably caused by insanitary condition of back premises, where was a huge and offensive cess-pit."

Measles has caused 18 deaths as compared with last month, the fatality being principally in Liskeard Rural and St. Ives Urban areas. Whooping Cough shows a slight decrease from 16 to 14, the principal fatality being in Stratton Rural district. Respiratory Diseases have been considerably more fatal than they were last month, but very little more so than in February of last year. Influenza is making its appearance in several districts in the upper part of the county, and 6 deaths are attributed to it during the month. Five of these occurred in the adjoining Rural areas of St. Austell, Truro, and Redruth.

Taken as a whole, the figures for the month continue to support the view that a hard winter is not to be feared half so much as are insanitary surroundings. An important item in this month's statistics is the phenomenally slight rainfall, only about one-tenth of an inch having been recorded for the county. It may be said that February has practically been without rain in Cornwall, so that it has been a remarkably dry as well as cold month; and it cannot be doubted that this had a very beneficial influence on the health of our population. There has undoubtedly been a good deal of want in many parts of the county; but it is a satisfactory sign of the times that various religious and other public bodies, as well as benevolent societies and individuals, have quickly recognised their duties in the matter, and by promptly establishing soup kitchens, penny and free dinners, and relief funds of various kinds, have done much to alleviate the distress of the poorer members of the community. And an even more satisfactory feature is that, so far as we have had an opportunity of observing, the poor on their part are equally quick to recognise the point at which the worst has been tided over, and at the earliest moment are reverting to their various occupations and self-supporting endeavours without grumbling or discontent.

(Signed on behalf of the Committee)

SILVANUS TREVAIL,

TABUL

			OF B	IR	THS, DE	AT	HS,	an	d I.	NF	EC1	OI	US	Di	SE	ASE	E, w	/ithi	n th	e a	re
1	let.		391.				1000	Deaths	rate An.	1 yr.	en	over			Nоти	FIED	or A	SCERT	TAINE	D CA	rsı
	District.	SANITARY	Population, 1891.	,,,	41, 1.00	Births.	Birthrate per 1000 per Annum.	ı. De		Deaths under 1	Deaths between 1 and 5,	5 & o	ı,	Diphtheria & Memb. Croup	, mi	ver.	F	EVER	s.	To	ta
٩	ot	DISTRICT.	latio		edical Officer of Health.	Bir	rate r An	Total Zym.	symoticDeath per 1000 per	un su	l and	hs, 65	l Pox.	theri	Erysipelas.	Scarlet Fever.	oid.	pen	eral	ý	
	No.		ndo			Total	Sirthra per	otal	ymo	eath	eat!	Deaths,	Small	ipht	rysil	earle	Typhoid.	3Continued	Puerperal	Cases.	
	(1)	(2)	(3)		(4)	(5)	(e)	(7)	(8)	(9)	(10)	(II)	(12	(I3)	(14)	(15)	(16)	00(17)	(8) Pu	(19)	0
		RURAL												$  _{z}$		$  _{Z}$	Z	$ _{Z}$			
	1	*STRATTON *Launceston	7,122 11,529†	M	Ir. BRAUND	17	29	4 No	6·7	3 turn	3	7								NIN	
	3	*CALSTOCK (psh)	6,140	SM	Ir. Gibson Ir. Brodrick	10	20	No 	Re 	turn	1	9	::		::			::		NN 	
	3	*BOSCASTLE *CAMELFORD	2,009 4,897	M	fr. C. Wade fr. Jerome	6 12	36 29	i	2.5	1	1 1	1 4	1::	3	1	i				4 1	1
	6 7	*LISKEARD *ST. GERMANS	22,464 15,080	M	Ir. NETTLE Ir. KERSWILL	44 32	24 25	7 3	3.7	10 5	5 4	10 10		1		$\begin{vmatrix} \cdot \cdot \\ 2 \end{vmatrix}$	1			1 3	
	8 9	*BODMIN	12,146	§Μ	Ir. MUDGE	36	36	2 No	20	4	1	11			2				••	2	
	10	*ST. AUSTELL	27,218	§M	Ir. Mason	66	29	2	0.9	12	5	23			2				••	NN 2	
1	$\begin{vmatrix} 11 \\ 12 \end{vmatrix}$	*TRURO *REDRUTH	22,557 19,546	D	Ir. Bonar Pr. Permewan	46 54	33	1	0.6	8	$\begin{vmatrix} 1 \\ 3 \end{vmatrix}$	16 23	::	1	$\begin{vmatrix} 2\\2 \end{vmatrix}$	7				3 9	
	13 14	*EAST KERRIER *HELSTON	18,919	M	Ir. Blamey Ir. Haswell	19	27 25	3	1.9	5 9	1 8	7 7	::		i	6(1)	3			3 8	
	15	*West Penwith			Ir. Mudge			No		1 -							1.			NN	
	16	URBAN *LAUNCESTON	4,345	,	Ir. Gibson	9	25	3	8.3		2	4									
1	17	*LISKEARD	3,984	M	fr. NETTLE .	12	36	••	8.3			1			::			••		::	
1	18 19	*SALTASH *BODMIN	2,541 5,151	M	Or. Meadows Ir. Derry	6 15	28 35	• •	••	3		$\begin{vmatrix} 2 \\ \cdots \end{vmatrix}$								::	
_	$\begin{bmatrix} 20 \\ 21 \end{bmatrix}$	*LOSTWITHIEL TRURO CITY	1,496 11,131	§M M	Ir. SEWART Ir. SHARP	3 21	24 23	••		1 2	1	11	::	,.	1		i			··· <sub>2</sub>	
1	22 23	*PENRYN *FALMOUTH	3,256 12,215	M	Ir. BLAMEY Or. BULLMORE	7 28	26 28	1	3.7	2 4	$\begin{vmatrix} 1\\2 \end{vmatrix}$	2 16				• •	3			5	
2	24	*HELSTON	3,198	M	Ir. WEARNE	8	30		0.8	2		5			••		]				
2	25 26	PENZANCE	6,094	M	Ir. Nicholls Ir. Millett	13	26   37   70	5	0.8	11	7	9				$\begin{vmatrix} 2\\4 \end{vmatrix}$	::			2 4	
2	$\begin{bmatrix} 27 \\ 28 \end{bmatrix}$	* <b>Padstow</b> *NEWQUAY	1,503 1,891	§D	Ir. Marley Or. Hardwick	9 2	72 13			1		2	::				.:		::	NN	
2	$\begin{bmatrix} 29 \\ 30 \end{bmatrix}$	*ST. AUSTELL *REDRUTH	3,477 10,334	§M	Ir. Mason	4 19	14 22			5	i	7 2			i	5	$\frac{\cdot \cdot}{2}$			8	
1 8	$\begin{bmatrix} 30 \\ 31 \\ 32 \end{bmatrix}$	*CAMBORNE	14,700	D	Or. Erskine Or. Cleaver	38	31 18	5 3	4.1	12	6	6 1		4(1)		27(1)	1 15(3)			34 15	
3	33	*HAYLE	1,142	M	fr. Mudge	1	11														
:	34 35	*MADRON *PAUL	2,810 5,961	M	Ir Couch Ir Boase	18	36	$\begin{vmatrix} \cdot \cdot \\ 2 \end{vmatrix}$	4.0	4 4	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	6	::	1::		3 7(2)	:: }			3 7	
	36	*SCILLY ISLES	1,896	-	Ir. MACKLIN	2	13		<u></u>	1			<u>  · ·  </u>				··			••	-
-		COUNTY	280,190	1 . 1	ere Returns are Available.	640	27	44	1.9	118	58	211		9(1)	16	64(4)	27(3)			116	
	S	pecial Notice.	302,050	894.	JANUARY FEBRUARY	669 685	$\begin{array}{ c c c } 26 \\ 27 \end{array}$	52 33	2·1 1·3	125 141	49 53	282 185		34(14) 23(9)	25 <sup>(2)</sup>		15(1) 24(6)	$\frac{1}{2}$	1 1	230 177	
		Special attention	303,553	-	MARCH	738	29 26	31	1.2	126 104	56 45	204 138	13	15(4)	17(1) 22(1)	1296	27(4)	3	1	192	1
	Dai	again called to the iries, Cowsheds, and	292,024	a	MAY	640	25	26 22	0.9	87	29	153	1	7(1)	20(1)	964	6(1)	1	4(1)	130	
		kshops Orders, 1885 1886, which are	292,024	E	JUNE	678 629	28   26	25 26	1.0	75 53	$\begin{vmatrix} 25 \\ 32 \\ 25 \end{vmatrix}$	124 106			17(1)		7(2)	2	3(1)	243 152	
10	oblig	gatory upon every lattary Authority.	$\begin{bmatrix} 292,024 \\ 292,024 \end{bmatrix}$	S	August September	668 677	27 28	24 35	1·0 1·4	51 77	25 29	118 102	4	_	17(1) 19(1)		_	1 <sup>(1)</sup> 4	2 <sup>(1)</sup>	220 198	_
		·	292,024 292,024	County	OCTOBER NOVEMBER	599 567	25 23	31 30	1·3 1·2	86 69	30 30	156 131		14(5)	40(4) 24(2)	2285	58(2)	1 1	1 1	342 257	_
	to tl	Attention is directed he provisions of the	280,190	Cor	DECEMBER	644	28	27	1.2	88	31	149			29(1)				2(1)	190	
١.	Act,	solation Hospitals , 1893," (56 & 57	280,190	35.	JANUARY	655	28	32	1.4	107	42	181	1		27(1).		14(1)	.1		144	
1	the	t. Capt. 68), and to Districts in Corn-	280,190	1895	FEBRUARY MARCH	640	27	44	1.9	118	58	211		9(1)	16	64(4)	27(3)			116	
		l without such ac-		ary,	APRIL . MAY .																
		dical Officers of	• • • •	mmary,	JUNE			•••		•,•	٠.,					• •	••	( )			
	Hea	alth will greatly ige by being early		Sun	August					• •.								::			
1	wit	turns.		nty 9	SEPTEMBER OCTOBER									••							
	· · e			Soun	November December														• •	• • •	
1_				O	1		1														

REFERENCE.—The Districts printed in black type have as yet failed to adopt the Notification Act. Districts mark in these instances. Diseases marked with a "Z" are those taken as Zymotics for Statistical purposes. N.N. means 12, 32.—Causes of death in inquest cases not stated. 4.—Diphtheria: Court Farm, Bossiney, Tintagel. Erysipelas: Trevalga Rectory. 5.—Scarlet for Tiphtheria: Lower Tregantle, Antony. Measles prevalent in Pillaton Parish, necessitating closure of school. 8.—Erysipelas: Lower Trepeod Erysipelas: Probus. The epidemic of Measles reported last month has now subsided. 12.—Respiratory diseases prevalent. Great number of deaths Churchtown, Constantine. Three cases in one house. Probably caused by insanitary condition of back premises, where there was a huge and offe diseases at Tresco and Hendra Farm, Breage; Sithney Trough, Sithney; and Forest, Wendron. Scarlet fever is stated to be by infection from the prevalent, otherwise very healthy. 21.—Extreme cold fatally affected elderly persons suffering from chronic pulmonary and heart diseases. 22 Railway Cottages, and Mount Zion. Inclement weather has laid up a number of people with colds and rheumatism, and there have been a few set tabulated include one of a person not belonging to district. 27.—The aged have suffered much from the cold weather and winds. 29.—Seven of the and Fore Street. Coldness of atmosphere explains prevalence of lung troubles. 31.—Scarlet fever principally in West end of town, among children 33.—Chest diseases prevalent, due to severity of weather. Some cases measles with chest complications. 34.—Scarlet fever: Heamoor, near the B

of the Administrative County of Cornwall, for the Month of February, 1895.

or the	Au	1111111	stra	tive		unty	01	COL	ii wai	1, 10	,, (1			of Fe	or uar,	у, 1895.	
						aths :	from					1000 per month's urns.	r 1000 per quarter's				. o
Disease Rate per 1000 for the Month.		ad	Diarr. & Dyst.	Bronchitis, Pneumonia, & Pleurisy		Heart Disease			Inquest Cases	ier 3.	SZ.	per 1000 on mont returns.	per 1000 on quarte	Dise	eases	GENERAL REMARKS	Tag
Disease Rate per 1000 for the Month.	les.	Whooping Cough,	. & I	itis,	sis.	t Dis	Influenza.	. <del>.</del>	est (	All other causes.	All Causes	per on ret	Per S		ring	Causes of Disease.	
iseas er 1 ie 1	Measles.	Vho	)iarr	ronch	Phthisis.	Lear	nflu	Cancer.	nbu	All		D.R. ann.	D.R. ann.	the M	Ionth.		
(2l)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	1 (3	35)	(36)	-
	Z	z	Z														
		4	••		1	2				6	13	21.90	22.4	W.Co.	& Influ		$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$
		••	• • •	2	1	i		i		5	10	19.55	20.20		nza	9 deaths over 65	3
1·99 0·20		i	• •	••	1			•	2	3 4	7	17.15	19·91 17·18	$\delta \mid Wh. C$	& Influ lough	Epidemic	5
0.04	$\frac{6}{2}$	1		9	$\frac{1}{2}$	$\begin{array}{ c c } & 1 \\ 2 & \end{array}$		1	1 4	15 8	35 30	18·70 23·87	16·03	Inf.Bro	n.Pneu		6
0.16		1	1	6	1	$\begin{vmatrix} 2 \\ \end{vmatrix}$		$\frac{2}{\cdots}$	$egin{array}{c} 2 \\ \dots \end{array}$	12	27	26.67	16.47	Respir	atory .		8
0·07 0·13	1 1	1	• •	9	9	10 4	$\frac{2}{2}$	1	8 4	22 17	63 33	27·78 17·55	20.43			Deaths infantile and aged Sudden changes climate 11	0
0.46			1	13	î	1	1	 1	1 2	26 7	44 17	27·01 23·97	22.72 $23.97$	Respir	atory	Deaths mostly aged 12	2
$\begin{array}{ c c c }\hline 0.35 \\ 0.42 \end{array}$	2			4	1	i	••	$\frac{1}{2}$	4	20	35	22.20	17.97			Typhoid: Constantine 15 Infection from St. Hilary 14	1
	••	••	••		• •	••	••	••	••	•••	••	• •	••			16	5
	2		1				• .			5	8	22.09	16.57	Measle	s	Infection. No isolation	6
••				i	2	• •	•••			$\frac{2}{4}$	4 5	$12.05 \\ 23.61$	21·08 25·18			Healthy Deaths infantile and aged	7
	••			1	• •	1	• •	• •	••	1	$\frac{2}{1}$	4·66 8·02	9·32 16·04	Influer		Inclement weather	9
0.18			.:	6	3	7	•••	i	2	5	24	25.87	20.12	Pulmo	nary	Climatic; deaths mostly aged 21	1
0.41	• •		1	4 6	3	1	••		1	$\frac{2}{12}$	$\begin{bmatrix} 8 \\ 23 \end{bmatrix}$	29·48 22·60	25·80 19·32	'Colds,	atory 'Rheu.	Severe weather 25 Inclement weather 25	
0.33	4	1		1 6	2	$egin{array}{c} 1 \ 2 \end{array}$	••	1	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	4 2	$\begin{bmatrix} 7 \\ 20 \end{bmatrix}$	26·27 39·38	$\frac{22.51}{30.85}$	Measle		Infection: source unknown 24	
0.32	•••	1		$\frac{6}{2}$	:: (	$\frac{2}{1}$	1	• •	$\begin{array}{c c} 2 \\ \cdot \cdot \end{array}$	$\frac{11}{3}$	$\begin{array}{c c} 23 \\ 6 \end{array}$	22.17 $47.90$	20·89 31·98			Weather 26 Severe weather 27	
	••	••	••	2	1	1 1	• •	••	·i	4	1 9	6·35 31·06	8·46 23·01		atory	28	8
0·77 2·31		3	••	5 7		1 1	•••	••	·. 1	6 20	12 37	13·93 30·21	21·68 25·58	Bronch	nitis	Cold weather 30	0
3.74	• •		• •		2	1			1	1	8	23.94	18.95	Typho	Respir. id fever	Cause not yet ascertained 32	2
1.07				3	2	1	,	1	• • •	8	15	64.06	21·02 38·44	Respir	atory	Some measles Highest death-rate, mo. & qr. 33	
1.17				4				3		7 2	$\begin{array}{ c c }\hline 16 \\ 2 \end{array}$	$32.22 \\ 12.66$	18·79 16·88	Scarlet   None	fever	Sporadic 38 Healthy 36	
0.41	18	14	4	119	38	45.	6	14	39	244	549	23.51	No. D.	Sanitary District.		February's Death Rates to Scale.	-
0.76	1	18	9	159	30	40	37	19	45	279	663	26.34		RURAL	0	10 20 30 40	50
0.59		12	1	117	40 33	34	21	25 14	37 31	226	533 531	21.18	2 La	ratton unceston ilstock	No Retu	ım	
0.63	•	16 12	1	119 93	51	47 31	5 2	14	28	213	460	18.90	4 Bo	scastle melford skeard			
0.45	••	13 12	$\frac{2}{4}$	75 55	47 47	38 34	3 4	19 15	$egin{array}{c c} 24 \\ 22 \\ \hline \end{array}$	177	416 379	17·09 15·57	7 St 8 Bo	Germans dmin	N. D.	The state of the s	
0·52 0·79	2.	8	6 4	$\begin{array}{c c} 35 \\ 32 \end{array}$	31 28	27 28	1	15 26	19 21		306 308	12·57 12 66	io St	Columb Austell uro	No Retu	ITA	
0·68 1·17	••	22 12	5 7	27 52	32 33	29 36	$\frac{2}{3}$	$\begin{bmatrix} 23 \\ 20 \end{bmatrix}$	$\begin{bmatrix} 27 \\ 33 \end{bmatrix}$	148 191	323 403	13·27 16·56	13 Fa	druth Imouth Iston	And the latest transport of th		
0.88	1 6	9 9	i 4	58 62	28 29	31 41	3 2	18 21	21 30	172	363 408	14·92 17·47	15 Pe	nzance RBAN	No Retu	irn.	E
0 00	- 1	9	4	02	20	41	2	. 21	50	130	100	11 11	17 Lis	unceston keard Itash			
0·51 0·41	7 18	16 14	$\frac{3}{4}$	83 119	25 38	43 45	6	17 14	33 39	238 244	472 549	$20.21 \\ 23.51$	19 Bo	dmin stwithiel uro			F
				• •						::			22 Pe 23 Fa	nryn Imouth Iston			-
•••	••			••	••	••	••	••	••	• •	••	••	25 St 26 Pe	lves nzance			
	••		,				••	••					28 Ne	dstow wquay . Austell			
					••	::						::	30 Re 31 Ca 32 Ph	druth mborne illack	N"		
			••		••	:: }	• •		::				33 Ha 34 Ma	yle adron	Nil.		-
	••)											••		illy Isles County			_
thus *	are v	withou	nt Ts	olatio	n Ho	snita	ls.	t The	se no	nulat	tions	are omi	itted f	or the pu	rnose o	f averages. § Returns were late	

thus \* are without Isolation Hospitals. † These populations are omitted for the purpose of averages. § Returns were late Notification. The following numbers refer to the number of the District in each case:—

1. West Downs, St. Teath. 6.—Typhoid: Half-way, St. Neot. Water suspicious. Measles: St. Neot, Lanteglos, and South Hill. Schools closed. St. Endellion; and Laveddon, Bodmin Parish. 10.—Erysipelas: Grampound; and at Charlestown, St. Austell Parish. 11.—Diphtheria: Ladock. advanced ages. In addition to the deaths tabulated above, there were six from drowning of persons unconnected with the district. 13.—Typhoid: recess-pit. The extremely severe weather has made itself felt by deaths from respiratory disorders. Influenza is appearing. 14.—Notifiable influenza has made its appearance, but there are not many cases. 23.—Erysipelas and Typhoid: New Street, Restormel Terrace, ared cases of influenza. 25.—Scarlet fever: The Warren. Measles prevalent. M.O.H. advised closing schools for a fortnight. 26.—Deaths are deaths averaged 76½ years each. 30.—Scarlet fever: Shoot Row, Penventon Terrace, Buller Downs, North Street. Typhoid: Claremont Road, and Basset Road Board School. M.O.H. recommends that the School Board be requested again to pay more attention to sanitary arrangements. Bee. Low temperature fatal to young children and aged persons. 35.—Scarlet fever: 3 cases, Newlyn; and 4 at Chyenhall (in one family).

(Signed on behalf of the Committee) SILVANUS TREVAIL, Chairman.

# CLIMATOLOGICAL OBSERVATIONS IN CORNWALL

During the Month of FEBRUARY, 1895. Rea

Readings taken Daily at 9 a.m. Local time.

Stations run from North to South.

		0	1 m 7	+ ±0	91	- 8	o 0	10	- 67	13	14	15	17	18	61	0 -	. 67	က က	4 1	٠ و	10	- α	. 6	0	
	No. of Station,									-	<u> </u>			_	~	20	i &i	ci i	ČŽ (	ο i	N G	2 6	29	က	
WIND.	ътегајі па Тречајі па	;		H-V	:	N.E.	:	N.ES.E.	E-N E.	EN.E.	:	ES.E.	EN.E.	ផ	8.E.	EN.E.	: :	:	:	ES.E.	:	: =	ES.S.E.		
Sun.	ruoH latoT Bright Sunshine.	:	; :	: :	:	::	.1.	93.1	3:	:	:	:	88.1	:	:	83.9	;	:	:	:	:	:	88.8	·	90.3
	.4681 garinb ledoT	Inches 42.71	11 01	49.40	. 1	53.78	53.30	10.07	40.78	:	51.46	42.08	40.07	:	45.85	41.46	46.12	42.39	44.79	45.97	:	:	37.61	:	45.81
	Days on which [10:0].	80 g	3 : -	⁻ :	:	<b>⊃</b> ಣ	40	77 -		0	က	<b>-</b> 0	71 m	5	7	₹* C.	) C	4	4	5	:	:	: <del>गं</del>	:	က
:	Greatest I Day.	Inches 0.05		00.0		0.00	90.0	80.0	0.03	00.0	0.05	0.03	0.00	0.04	0.17	0.07	0.00	0.58	FE.0	0.14	:	:	0.24	:	0.10
, .i	Height above sea.	Feet 200	10	4+0		150 375	390	100	25	250	300	812		:	09	70	386	30	213	75	:	:	75	:	179
RAINFALL	Ditto for like period 1894.	6.90	07 .0	00.0		9.37	9.41	6.38	9.90	:	2 90	6.45	7.16	09.2	6.94	5.68	6.72	6.10	6.46	6.87		:	4.76	:	7.17
-	IlaniaH latoT .568[nat tal morn	4.54	20	#0.0		5.91 6.93	6.79	6.12	4.34	5.78	6.65	7.21	6.57	6.92	6.20	5.78	6.38	6.94	2.40	7.61	•	:	5.22	:	6.12
	Ditto for like month, 1894.	3.02			: : ;	3·14 3·31			20.7				2 62		2.36					<b>5</b> .96	:	:	1.40		2.64
	Total during	Inches. 0.08		90.0		0.09	0.14	90.0	0.03	0.00	C-10	0.03	0.15	$0.\overline{13}$	0.18	0.13	0.00	0.37	0.45	0.54	:	:	91.0	:	0.13
el).	Relative Humidity	::		2	: :	: :	• 1	72	00		:	•	7.8		:	7.0	2 :			:	• •	:	. 83		92
(Sea Level).	Bar. Lowest.		29.62	60.67	: :	29.40	29.50	29.32	29.94	29.40	29.50	:	29.38		29.40	29.47	29.20	:	29.30	29.45	:	00.91	29.38	:	29.39
9	Bar. Highest.	000	30.38	30.41	: :	30.41	30.33	30.34	30.51	30.30	30.05	:	30.35	:	30.34	30.28	30.15	:	30.30	30.25	;	90.15	30.37	:	30.31
BAROMETER	Monthly Means.		30.04	30.04	: :	30.03	29.76	29.94	30.04	29.39	:		46.66		29.96	:		:	29.93	29.94	:	00.70	29.62	:	29.92
	Least Daily Range.	::	4.0	4.0	: :	9	:	8.0	4.0 4.0	3.0	:	:		5.0	3.1	: -	2.0	:	0.0	1.0	:	:	4.0	:	3.0
	Mean Daily Range of Temp.		19.60	13.50	: :	11.00	:	06.8	8.53	11.80	:	:	11.60	00.6	6.10	1.	00.7	: :	68.9	:	:	:	60.9	:	9.55
neit).	Ditto for like month, 1894.	1.00	14.00	41.00	: :	44.00		45.37	45.90		:	:	41.70	::	46.00		00 44	: :	:	:	:	:	47.40	:	44.21
(Fahrenheit).	Mean Temp. Corrected.	06.10		78.00	: :	32.00			32.37		:	:	33.90		35.20	04.70		: :	:	:	:	:	37.00		33.10
	Minimum Temp.	15.0	6.21	0.01	: :	16.0	:	19.0	0.61	15.0	:	:	19.0	0.91	23.5	24.0	0 17		22.0	55.0	:		27.0	:	19.3
RATU	Greatest Daily Range.		0 : 0	75.0	: :	17.0	:	17:5	16.0		:	:	26.0	14.5	0.6	10.0	16.0	:	13.0	13 0	:	:	11.0	•	17.3
TEMPERATURE	Max, Temp.	: 3	6.07	42.0	• :	56.0		45.3	40.04	49 0	:	:	0.20	43 0	46.1	46.0				46.0	:	•		:	46.9
I	Mean Temp. Wet Bulb.	00.10		00.87	: :	30.00		31.14			:	:	31.40		32.90	00.66		:	:	:	:	:	35.80	:	31.15
	Mean Temp. Dry Bulb.	00.00	06.67	00.00	::	32.00		34.01	32.50	;	:	:	34.10	30.50	35.10	34.40	24 .	:	34.50	:	:	25.64	37.70	:	33.32
	OBSERVER.	SColonel Field	Mr. S. Bensley	Capt. Ching, K.IN.	Mr. H.	§Mr. W. T. Johnson Mr. S. W. Jenkin	Preb. J. T. Every	SDr. Hardwick	Mr. W. Marchant	Š	× ×	٦;	Mr. H. Tresawna	Į.	Dr. Nicholls	Canon Hockin	Rev. G. B. Hooper	Mr. T. W. Field	Preb. Hedgeland	Mr. Branwell, Jr.	TUT. J. A. FOX	Mr. S. Chanlton	Mr. A.	†Mr. J.	
	Stations where the Observations were taken. (North to South)	POUGHILL	GEL	*TREVOSE HEAD		FENTILLIE CASTLE LISKEARD	)CK	DIVMOUAY	OREMYLL			ST. AGNES	TRUBOS (R.I.C.).	REDRUTH	ST. IVES	FAILLACK	ST JUST (West)	MARAZION	FENZANC	**	TAND'S END	*T.TZARD	SOILLY,	", Tresco	COUNTY MEANS
	No. of Station.	0	7 co 7	4 10	91	~ 8	6	2:	12	13	14	15	17	18	19	S 5	52	23	24	25	070	38	<b>5</b> 3	30	

Sea temperatures: Poughill, 39°; St. Ives, 42°1.; Scilly, (St. Mary's), 44°2. † Returns not to hand at time of going to press. The following numbers refer to the number of the district in each case:-\*Instruments wanted for these Stations. § Late Returns.

2—Severely cold month, quite 10 degrees below the average of past 10 years. Shrubs suffered severely. 4.—Unusually dry month, rain (0.06 in.) falling on only one day, 25th. 8.—Practically no rain for the month.

Average temperature about 9°5 below average of past 32 years, and the lowest February reading for 32 years. 15.—A month of severe frosts, without snow, and only a sprinkle of rain on 23rd. 16—Exceptionally cold and dry month. 17.—Outside the Stevenson screen the temperature fell to 13 degrees on 12th. 18.—Extraordinarily cold month, with frost every day except the last. This frost lasted 34 consecutive days. 21.—An unusually cold dry month. 22.—Very deep snow drifts on 10th, but the high wind would not allow any snow to settle in the rain-gauge. 24.—The 0.34 in., entered as greatest rainfall in one day, was snow. 25.—Abnormally cold and stormy. Snow blizzard on Sunday, 10th. 29.—Unprecedented prolonged cold during the month.

Truro, March 16th, 1895.

(Signed) SILVANUS TREVAIL.

### CORNWALL COUNTY COUNCIL.

# Sanitary Committee.

## Monthly Report for March, 1895.

In common with the rest of England we have been experiencing the effects of the Influenza epidemic, the returns from no less than 21 of our districts noting it as the "disease prevalent during the month," and 32 deaths are attributed to it, as compared with 6 deaths in the preceding month, and none in January. This mortality is, we believe, not very heavy when compared with what has occurred in many other parts of England; and, so far, is considerably lighter than it was with us last year. We are, however, not yet out of the wood, although there are signs that we are probably through the worst of it; it is therefore too early to fully compare statistics. We must also bear in mind that the number of deaths is by no means a complete measure of the evil effects of this disease; much permanent injury being done to the general health of great numbers who survive its attacks, but who appear to become increasingly susceptible to subsequent infection and relapse.

The present epidemic appears to be the sixth that has occurred in England since the winter of 1889. It is clearly a disease that is extremely infectious, and is therefore extremely difficult to deal with so far as measures of prevention are concerned. It has been carefully studied by some of the leading medical experts, and some of the results of their investigations have been embodied in a valuable memorandum by Dr. R. Thorne Thorne, Medical Officer of the Local Government Board. Briefly, the recommendations deduced from their inquiries are "isolation and disinfection,"—which, of course, point to the necessity for the provision of Isolation Hospitals, it being impossible to effectually carry out such preventive measures in small dwelling-houses, where the healthy cannot avoid mingling with the sick. The necessity for such hospitals is daily forcing itself on the public mind, and the time cannot be far distant when each district or group of districts will possess such an institution. It is very satisfactory to find that Penzance (which claims to be "the model Borough" of the County in sanitary matters) is leading the way. A site has been purchased on an elevation outside the town; premiums have been offered for plans for a block of buildings to be laid out in accordance with the latest sanitary knowledge; and before long we may hope to see the hospital actually built and in use. This is an example we hope to see speedily followed throughout the county.

Turning to the figures for the month, we have to note a rise in the general death-rate from 23·51 to 24·93, the increase being almost entirely due to the deaths from influenza. If we deduct the 32 deaths due to this cause, the total for the month would be 550 deaths, or a rate of 23·56,—practically the same as last month. Our death-rate for the year may now be regarded as having reached its maximum, and unless extraordinary causes of mortality arise it will begin to decrease next month, and should fall rapidly until it reaches a minimum in July and August. The birth-rate for the month is the highest recorded for the county during the period in which this committee has been receiving returns, there being 735 births registered, giving a rate of 31·48 per thousand of the population. The disease-rate is the lowest we have yet recorded, there having been only 74 notified or ascertained cases throughout the county during the month, giving the extremely small rate of 0·26 per thousand. Of this, scarlet fever has contributed rather more than two-thirds, or 50 out of 74 cases. The infantile death-rate also shows a marked decrease, there having been only 88 deaths under 1 year, as compared with 118 last month and 107 in January. The chief causes of mortality have been respiratory diseases (bronchitis, etc.) and senile decay, a very large proportion of the deaths being of persons over 65 years, many of them being very aged.

Diphtheria and croup show similar figures to those of last month (9 cases and 1 death). The two cases at Helston are croup. The two cases of diphtheria at Penzance were in one house, and are stated to have come from Breage.

 $\it Erysipelas$  has fallen to 9 cases, by far the lowest number we have recorded since our statistics have been kept.

Scarlet fever has fallen to 50 cases and 3 deaths, and this is also the lowest number of cases we have recorded for this disease. The principal centres are Redruth and Helston Rural, and Redruth and Camborne Urban. St. Ives and Paul also contribute.

Typhoid has decreased to 6 cases and 1 death, the lowest record since May, 1894. The chief localities are Redruth Rural and Falmouth Urban. The death was at Ventonleague, Phillack, where the recent outbreak of this disease appears to have come to end. The total number of cases there has been 17 with 4 deaths. The immediate cause has not been discovered. Water from the pump and milk from the adjacent dairy have been bacteriologically examined, but were found free from typhoid germs.

Although the general death-rate is somewhat high, a detailed examination of the returns shows that (excepting the epidemic of influenza) the past month has been a very healthy one. Nearly 44 per cent. of the total deaths have been aged persons, most of whom have died simply from old age; notifiable disease has reached the lowest point we have yet recorded; the zymotic death-rate has fallen to 0.9 per thousand; and the birth-rate has been the highest yet recorded.

Our climatological returns show that the winter has practically ended. Temperature has risen more than 10° (from a mean of 33°10 to 43°81) and has reached a point not much below what is usual for the month. With rise of temperature has come about 3 inches of rain and increased sunshine, both much needed in connection with agriculture.

(Signed on behalf of the Committee)

SILVANUS TREVAIL, Chairman.

OF BIRTHS, DEATHS, and INFECTIOUS DISEASE, within the arm

		OF B	IKIHS, DE	$\Lambda$ I .	115,				5C 1	101	J 3	וט	SE	USI	· , w	ıthıı	ı tn	e ar
ict.		1891.			1000	Total Zym. Deaths	ZymoticDeathrate per 1000 per An.	1 yr.	en	over					or A	SCERI	AINE	d Ca
District.	SANITARY	n, 1	Medical Officer	ths.	Birthrate per 1 per Annum.	n. De	ymoticDeath per 1000 per	Deaths under	Deaths between 1 and 5.	65 & c	×.	eria & Croup	ಜೆ	ever.	F	EVER:		Tot
of	DISTRICT.	Population,	of Health.	Total Births.	rthrate per Ar	Zyr	oticI 1000	ns an	hs t	hs, 6	Small Pox.	Diphtheria Memb. Crou	Erysipelas.	Scarlet Fever.	oid.	ned	eral	es.
No.		Popu		[ota]	Birtl pe	lotai	Zym per	Deat	Deat	Deaths,	Smal	Diph Tem	Trysi	carl	Typhoid.	(Continued	Puerperal	Cases.
(1)	(2)	(3)	(4)	(5)	(e)	(7)	(8)	(9)	(10)	(11)	(12	(13)	(14)	(15)	(16)	(17)	(18)	(19)
	RURAL										Z	z		z	Z	z		
$\frac{1}{2}$	*STRATTON	7,122 11,529†	Mr. Braund Mr. Gibson	20	34	l No	1·7 Re	6 turn	1	10								 NN
3 4	*CALSTOCK (psh) *BOSCASTLE	6,140 2,009	Mr. BRODRICK Mr. C. WADE	19	37 12	1 1	2.0	1 1	1 1	8		1(t)	$\frac{1}{2}$					1 3
3	*CAMELFORD *LISKEARD	4,897 22,464	Mr. JEROME	20 50	49 27	2	1.1	3 6	3	$\frac{2}{14}$	• • •		٠.	1 1				1
6 7	*ST. GERMANS	15,080	Mr. KERSWILL	54	43			2		16 19			2	1				1 3
8 9	*BODMIN *St. Columb	12,146 11,834†	Mr. Mudge Dr. Mackay	26	26	No		$\frac{2}{ ext{turn}}$										NN
10	*ST. AUSTELL *TRURO	27,218 $22,557$	Mr. Mason Mr. Bonar	81 46	38 24	1 1	0.4	13 5	4 2	30 25	• •		$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	3	1			4 2
12 13	*REDRUTH *EAST KERRIER	19,546 8,510	Dr. Permewan §Mr. Blamey	54 23	33 32		••	7	5	11	• •	1		12	2			14 1
14 15	*HELSTON *West Penwith	18,919	Mr. HASWELL Mr. MUDGE	49	31	l No	0.6	4 turn	4	13				7(1)				7 NN
10	URBAN	10,170	MIT. MUDGE			INO	166	uin		•••	• • •						••	ININ
16	*LAUNCESTON	4,345	   §Mr. Gibson	16	44	6	16.6	1	4	ŏ								
17 18	*LISKEARD	3,984 $2,541$	Mr. NETTLE , Dr. MEADOWS	10	$\begin{array}{ c c }\hline 30\\ 42\\ \end{array}$			1 1		5 3				1				1
19 20	*BODMIN *LOSTWITHIEL		Mr. Derry Mr. Sewart	11 7	26 56			4	2	3	• •	;;						
$\begin{bmatrix} 20 \\ 21 \\ 22 \end{bmatrix}$	TRURO CITY	11,131 3,256	Mr. Sharp §Mr. Blamey	29	31 41	1	1.1	5	1	11			1				• •	1
23	*FALMOUTH	12,215	Dr. Bullmore	21.	21			5	3	8			i		3		• •	4
24 25	*HELSTON	6,094	Mr. WEARNE Mr. NICHOLLS	11 25	41 49				1	5 7		2		4	1			2 5
26 27	PENZANCE	1,503	Mr. MILLETT Mr. MARLEY	29	28 32	$\begin{vmatrix} 2 \\ \cdot \cdot \end{vmatrix}$	1.9	4	2	10		2		1				3
28 29	*NEWQUAY *ST. AUSTELL	1,891 3,477	§Dr. Hardwick §Mr. Mason	8 8	51 28			1	1 1	1 6								
30	*REDRUTH *CAMBORNE		Dr. HICHENS Dr. ERSKINE	23 25	27 20	1	1.2	6 5	$\frac{2}{2}$	6		i		6(1) 7				6 8
32	*Phillack	4,009	Dr. CLEAVER	13	39	1	3.0	1	3	3				, .	(1)			NN
33 34	*MADRON	1,142 2,810	Mr. Mudge §Mr. Couch	5 4	53					3				1			• •	1
35 36	*PAUL	5,961 1,896	Mr. Boase .	18 4	36 25	1	2.0	2	1	1		1		4(1)				5
	COUNTY	280,190	WHERE RETURNS ARE	735	31	21	0.9	88	46	254		9(1)	9	50(3)	6(1)			74
-	pecial Motice.	302,050	JANUARY	669	26	52	2.1	125	49	282		34(14)				.,	1	230
	Special attention	302,050 303,553	MARCH	685 738	27 29	33 31	1·3 1·2	141 126	53 56	185 204		23(9) 15(4)		$\begin{array}{c} 1125 \\ 1296 \end{array}$		$\frac{2}{3}$	1	177 192
	again called to the iries, Cowsheds, and	292,024 292,024		640 611	26 25	26 22	11	104 87	45 29	138 153	13 1	12(5) 7(1)	22(1) 20(1)	1065 964	21(3) 6(r)	1	4(1)	179 130
Mi	lkshops Orders, 1885	292,024 292,024	E JUNE	678 629	28 26	25 26	1.0	75 53	$\begin{bmatrix} 25 \\ 32 \end{bmatrix}$	124		15(4)	19	2025 1176	7		3(1)	$\begin{bmatrix} 243 \\ 152 \end{bmatrix}$
obli	l 1886, which are gatory upon every	292,024	August	668	27	24	1.0	51	25	118		17(1)	17(r)	1467	33	1(1)	2(1)	220
Sar	nitary Authority.	292,024	SEPTEMBER OCTOBER	677 599	28 25	35 31	1.4	77 86	30	102 156	1		40(4)	2285	58(2)	4	1	198 342
	Attention is directed the provisions of the	292,024 280,190	November December	567 644	23 28	30 27	1.2	69 88	30 31	131 149		17(5) 9(2)		1777 1302		1	1 2(1)	257 190
" I	solation Hospitals t, 1893," (56 & 57	280,190	. )	655	28	32	1.4	107	42	181		9(5)	27(t)	93	14(1)	1		144
Vio	et. Capt. 68), and to Districts in Corn-	280,190	FEBRUARY	640	27	4.4	1.9	118	58 46	211 254		9(1)		64(4) 50(3)	27(3) 6(1)	[]		116
wal	ll without such ac-	280,190	APRIL .	735	31	21	0 9	88	46	254	• •	9(1)	• •	00(3)	6(1)			
	amodation.		C MAY .				••	• •		• •	• •			::				
He	edical Officers of alth will greatly		JUNE JULY AUGUST									•						
wit	lige by being early th their Monthly		SEPTEMBER OCTOBER	::					$  \dots  $		••							
Re	turns.	• • • • •	November December				• •	••	$\ \cdot\cdot\ $									
		••••	O		1						٠.							

**REFERENCE.**—The Districts printed in **black type** have as yet failed to adopt the Notification Act. Districts main these instances. Diseases marked with a "Z" are those taken as Zymotics for Statistical purposes. N.N. mean

12, 29, 30, 31.—Causes of deaths in inquest cases not stated. 4.—Diphtheria: Court Farm, Bossiney, Tintagel. Erysipelas: Boscastle. premature birth arc certified as causes of death. 7.—Erysipelas: Cawsand, and Millbrook; scarlet fever: Tideford. 10.—Erysipelas: Nanj Philleigh. Remarkable freedom from notifiable diseases during the month. 12.—Typhoid: Treskellard. Influenza very prevalent. 13.—On in Crowan; one case in Wendron parish; and another at Porthleven, Sithney. 16.—The district has suffered from a very severe epidemic of m house, and was at once removed to the Isolation Hospital. Large number of cases of influenza with bronchitis and pneumonia. 21.—Large and Trevelhan Terrace; erysipelas: New street. A good many cases of influenza about, mostly of a mild type. 24.—The two notific deaths amongst the aged. 26.—Diphtheria (mild) introduced from Breage; two cases in one house. Scarlet fever introduced from Marazion, prevalent; 30.—Scarlet fever: 5 cases in one family, Symons Terrace; one case Falmouth road. 32.—Typhoid fever: total number of ascertation one case at Newlyn, being one of the scarlet fever cases previously mentioned.

\*\*Breach Newlyn\*, being one of the scarlet fever cases previously mentioned.

of the Administrative County of Cornwall, for the Month of March, 1895

of the	Ad	mini	stra	tive	Coi	unty	ot	Cor.	nwa	ll, to	or th			oi Ivia	irch,	1895.	
					Dea	aths :	from	***				per th's	per's				t.
Disease Rate  © per 1000 for the Month	B Measles.	& Whooping Cough.	B Diarr. & Dyst.	Bronch tis, Pneu- G monia, & Pleurisy	8 Phthisis.	Heart Disease	Ö Influenza.	© Caneer.	© Inquest Cases	a All other causes.	g All Causes	D.R. per 1000 per segments ann. on month's returns.	D.R. per 1000 per sann. on quarter's returns.	preva dur the M	eases alent ring Ionth.	GENERAL REMARKS AND CAUSES OF DISEASE. (36)	No. of District.
1						M		1	1				1				
0·16 1·49 0·20 0·04 0·20 ··· 0.15 0·09				7  3  1 6 11 8  11 9	  3 2 2 2	1  1  2 4  6 6	1  4  1 4 1  4	2   1  2 	· · · · · · · · · · · · · · · · · · ·	9  5 4 5 15 11 15  28 22	21  10 9 7 32 30 35  64 46	35·38  19·55 53·76 17·15 17·10 23·87 34·58  28·22 24·47	29·76  20·20 33·85 20·42 17·45 20·95 23·71  24·98 21·63	None	nza nza nza nza	Influenza very prevalent Epidemic Respir. diseases prevalent	1 2 3 4 5 6 7 8 9
0.49 0.72 0.12 0.37	••			10 3 5	2 2	2	1 2	1 2 1 1 	4 1 2	24 9 19	40 19 34	24.56 26.79 21.57	24·56 23·97 19·03	Influer	nza & Resp.	Cold, damp, and germs Influenza very prevalent Epidemic from the West	11 12 13 14 15
0·25 ·· 0·09 ·· 0·33 0·63 0·82 0·24 ·· 0·58 0·54 ·· 0·38 0·36 0·84 ··	6	1	· · · · · · · · · · · · · · · · · · ·	2 5 1 4  3 5  4 5 1  1 6 2 3	1 1 1 1 1 1  3  1 1  1 1	3 1 1 1 3 2 1 1 1 2 2 1 2		1 1 1	1 1	1 3 4 4 3 12 1 19 2 4 12  2 5 7 16 3  4 4 3  4 3  4 3  4 4 3  4 4 4 4	14 10 8 11 3 20 5 29 9 12 29 1 3 11 18 24 9 1 5 10 3	38·66 30·12 37·78 25·62 24·06 21·56 18·43 28·49 33·77 23·63 27·95 7·98 19·04 37·96 20·90 19·59 26·94 10·51 21·35 20·14 18·99	23·01 22·09 33·05 12·42 18·72 23·00 24·57 23·91 27·52 32·16 24·42 26·61 14·81 32·21 21·68 24·40 17·96 17·51 37·01 20·81 18·99	None Influer Influer Broncl Influer	nza Meas. & Pneu. nza nza hial nza & Meas. nza nza nza nza nza t fever	Severe epidemic Cold bleak month Inclement weather Epidemic Cold winds All deaths over 70 years Diphtheria from Breage Severe weather Otherwise healthy High infant mortality Scarlet fever decreasing No fresh cases typhoid Highest death-rate on quarter Sporadic	16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36
0.26	8	6	2	122	30	48	32	18	36	275	582	24.93		anitary District.		March's Death Rates to Scale.	
0.76 0.59 0.63 0.61 0.45 0.83 0.52 0.79 0.68 1.17 0.88 0.68	2	18 12 16 12 13 12 8 11 22 12 9	9 1 1 2 4 6 4 5 7 1 4	159 117 119 93 75 55 35 32 27 52 58 62	30 40 33 51 47 47 31 28 32 33 28 29	40 34 47 31 38 34 27 28 29 36 31 41	37 21 5 2 3 4  1 2 3 3 2	19 25 14 14 19 15 15 26 23 20 18 21	45 37 31 28 24 22 19 21 27 33 21 30	279 226 250 213 188 177 151 146 148 191 172	663 533 531 460 416 379 306 308 323 403 363 408	15·57 12·57 12·66 13·27 16·56 14·92 17·47	1 Str. 2 Lau 3 Cal. 4 Bos 5 Can 6 St. 6 St. 7 St. 6 St. 7 St. 6 St. 7 Tru 12 Red 13 Fair 14 Heis 15 Pen 16 Lau 17 Lisk	caste card germans Columb Austell ruth mouth ston cance RBAN noceston eard	No Retu		50
0·51 0·41 0·26 	7 18 8	16 14 6 	3 4 2 	83 119 122 	25 38 30  	43 45 48   	6 32  	17 14 18 	33 39 36	238 244 275 	472 549 582 	20·21 23·51 24·93	18 Sall Book Book Book Book Book Book Book Bo	lves zance stow quay			n kaliforn

d thus \* are without Isolation Hospitals. † These populations are omitted for the purpose of averages. § Returns were late Notification. The following numbers refer to the number of the District in each case:—

tenza, with its complications, accounts for four deaths. 5.—Scarlet fever: Camelford. 6.—Scarlet fever: Ley Mill, Linkinhorne. Four cases of a scarlet fever: Trerice, St. Stephens. Influenza and its complications have caused the mortality to be high. 11.—Erysipelas: Probus and se membranous croup at Flushing. M.O.H. could find no cause. 14.—Scarlet fever: at Trescoe, Ashton, and Rinsey, in Breage; at Townshend, so, which at last shows signs of abating. Return delayed through illness of Registrars. 17.—The Scarlet fever case occurred in the Union Worktof sickness, chiefly from influenza and catarrh. The eleven deaths over 65 averaged 78½ years. 23.—Typhoid: Bakehouse yard, Wellington is are are croup, not diphtheria. 25.—Typhoid and scarlet fever in Halestown, and the neighbouring hamlet Carnstaba. Influenza influenced the removed to Urban Sanitary Hospital. 27.—Notification Act came into force here on 8th March. Influenza & other diseases of respiratory organs cases, 17. The death this month was at Ventonleague, making the total number of deaths from this outbreak 4. No fresh cases. Water from 2, Chapel Row. Good deal of chest diseases, influenza etc., but no deaths. 35.—Scarlet fever: 4 cases at Newlyn, 2 in one family. Diphtheria:

# CLIMATOLOGICAL OBSERVATIONS IN CORNWALL

During the Month of MARCH, 1895.

Readings taken Daily at 9 a.m. Local time.

Stations run from North to South.

ı			0.0	2 <del>4</del>	4C (	- h	00	6		. 0	~	<del>-</del>	20.0	c <b>/</b>	~	6	_				H		_	~	_	_	
-	.No. of Station.	1		~ ∞ 4.				-	·		13	14	15	17	18	19	<u>~</u>	2 2	3 6	77 6	9.6	26	27	32	25	<u>ಜ</u> —	
WIND.	Prevailing Direction.	EW.	N.WE.	 N-W.	:	: :	· N.W.		N.NW.2	N.W-8.W.	WN.W.	:	8.W.	N.W.	N.W-8.W.	N.W.	;	N.W-S.W.	:	:	. W.	:	:	W.W.	:	:	
Sun.	Total Hours. Bright Sunahine.	:	:	: :	•	: :	:	:	120.9	:	155.0	:	:	166.0	:	:	. 1	1,0,1	:	:			:	:	:	:	153.2
М	.4681 gariuh latoT	Inches 42.71	40.14	49.46	:	57.19	53.78	53.30	49.30	40.78	;	51.46	42.08	44.13		45.85	41.46	48.07	40.12	44.79	45.97		:	:	:	:	45.92
	Days on which or in 10.0	17	10	16	: 6	16	18	23	2 0	22.	13	21	13	16	18	17	20 1	0 T	10	22	18	:	:	:	:	:	17
	Greatest I Day.	Inches 0.45	0.75	0.67	.7.0	1.08	82.0	0.85	0.64	0.49	0.74	0.20	0.64	0.62	0.58	0.74	0.64	69.0	20.0	0.67	0.74	:	:	:	:	:	99.0
Ë	Height above sea.	1	16	446	850		375				250			40 (		09		-	_		75		:	:	:	:	216
RAINFALL	Ditto for like period 1894.	67-6	8F.6	12.01	13.66	12.85	12.82	12.26	8.10	7.75	:	10 13	8.31	00.6	9.33	9.19	7.37	10.17	7.73	× 100	8.75		:	:	:	:	9.63
	IlahniaH latoT .5981,.nsLtal mort	7.78	8.98	9.05	8:19	66.6	10.67	10.89	8.54	7.23	9.11	29.6	9.74	9.43	9.65	80.6	08.30 0	7.7.5	0.76	10.33	10.73		:	:	:	:	9.12
	Ditto for like month, 1894.	2.59	2.28	3.18	3.30	3.48	3.11	2.85	1.93	1.85	:	2.53	1.86	1.84	1.83	2.25	1.69	71.7	1.63	1.64	1.88	:	:	:	:	:	2.20
	garinh latoT .dtaoM	Inches.	5.86	3.48	3.15	4.08	3.74	4·10	2.94	68.7	3.33	3.05	2.53	2 86	02.2	88.7	19.7	70.7	00.7	2000	3.12	:	:	:	:	:	3.05
el). [	Relative Humidity	: :		94	:	: :		. 0	01070-01		:	:	:	78	:		:	:	:				:	:	:		87
(Sea Level)	Bar. Lowest.	• (	28.93	28.96	: :	: :	29.02	28.78	28.97	29.08	28 80	28.78	:	29.00	:	29.05	29.04	10.00	16 07	66.86	29.17	:	:	28.92	:	•	28.96
6	Bar. Highest.		30.38	30.40	:	: :	30.44	30.32	30.41	30.53	30.40	30.08	:	30.38	:	30.35	30.35	00.00	07.00	30.34	30.28	:	:	30.17	:	:	30.34
BAROMETER	Monthly Means.	. 1	29.75	29.80	: :	:	29.80	65.62	29.77	29 87	29.19	:		29.74	:	29.83	:	:	:	: :	29.75	:	:	29.59	:		29.69
auconan	Least Daily Range.	. 0	- 0.7	4.0	: :	:	0.9	. 6	7.9	0.2	0.8	:	:	5.0	2.0	3.3	. !	2.0	> >	5.0	5.0	:	:	:	:	:	4.8
	Mean Daily Range of Temp.		16.00	13.00	: :		15.00	8.70	11.40		13.50	:	:	14.20	12.50	09.8		08.01	000	10.35		:	:	:		•	11.93
eit).	Ditto for like month, 1894.	.1.	47.60	43.76	: :	:	46.00	46.90	45.80	46.58	:	:	:	45.90	:	44.70		10.04	:	: :	:	:	:	:	:	:	45.97
(Fahrenheit).	Mean Temp. Corrected.		42.10	41.50	: :	:	44.00	43.60	42.70	44.59	:	:	:	45.10	:	45.60		01.04	:	: :	: :	:	:	:	:		43.81
	.qmoT muminiM		7.97	27.0	: :	27.0	29.0	39.0	28.4	30.0	25.0	:	:	58.0	59.0	34.1	0.55	0.66	2	34.0	33.0	:	:	33.0	:	:	30.1
TATU	Greatest Daily Range.	: 9	 	22.0	: :	:	50.0	16.0	8.8	19.0	22 0	:	:	32.0		14.7		10.0		19.0	18.0	:	:	:	:		20.4
TEMPERATURE	Max. Temp.	:	25.2	57.0	• ;	0.89	0.29	53.6			0.09	:	:	0.99		54.8		7.10		0.09		:	:	0.09	:	:	8.89
9	Mean Temp. Wet Bulb.		41.10	42.61	: :	_	45.00				:	:	:	42.70	_	44.00		06.24	:	: :		:	:	:	:	•	42.25
	Mean Temp. Dry Bulb.		42.60	43.35	: :		44.00	45.50			:	:	:	45.10	_	46.10		44.00	 :	45.06	:	:		44.61	:	:	44.23
	OBSERVER.	§Colonel Field	:	z	SMr H Wadon	W. T. Johnson	7. Jenkin	Preb. J. T. Every		W. Marchant	B	اخ	Mr. J. Opie	R. A. Gregg	nkin	:	:	Mr. E. Mitto	Mr. T. W. Field			Dr. J. A. Fox	J. Boddy, Jr	S. Charlton	ď۲	TMr. J. Jenkin	
	Stations where the Observations were taken. (North to South)	POUGHILL	BUDE	: :: Z	*TREVOSE HEAD HINGSTON DOWN	PENTILLIE CASTLE		LANHYDROCK	PLYMOUTH	CREMYLL	NABILLY .	ST. AUSTELL	5 ST. AGNES	17   TRURO (R.I.C.)			THILLIACK	ST TIST (Wet)	MARAZION		" (Penlea)	" (Morrabs)	LAND'S	*LIZARD LIGHTS	SCILLY, St. Mary's	U ,, Tresco	COUNTY MEANS
	No. of Station.			,				_		-				-	1	- 7	202	27	10	242	c,	26	2	(A)	23	0	

Sea temperatures: Poughill, 41° at 7 a.m. on 3rd, 44°5 at 7 p.m. on 30th; \$Late Returns. \*Instruments wanted for these Stations. † Returns not to hand at time of going to press. St. Ives, 43°4. The following numbers refer to the number of the district in each case:—

2.—Mean temperature of March for the decade 1881-90 at Bude 42°4. This month differs only 0°3 below that average. 8.—Temperature below that of 1894. 17.—Frost occurred on 6 nights. 18.—Snow showers on 3rd. 16, 18.—Will the observers at these stations kindly ascertain and state the heights of their rain-gauges above sea-level? 6, 18.—Kindly state total rainfall for 1894.

Truro, April 16th, 1895.

(Signed) SILVANUS TREVAIL.

### CORNWALL COUNTY COUNCIL.

# Sanitary Committee.

## Monthly Report for May, 1895.

May has been an exceedingly healthy month. The general death-rate for the whole county shows a remarkable but highly satisfactory diminution of 6.64 from the previous month, and now stands at 18.03 against 24.67 for April. There is also a decided improvement in the zymotic death-rate, it being 0.5 for May against 1.2 for April, whilst the disease-rate is about the same as last month, but with a slight tendency to further recede; the number of notified or ascertained cases throughout the county for the month has fallen to 54 and 1 death against 57 cases and 4 deaths for April. Influenza still continues to show a great decline. 13 deaths only have occurred from this disease during the month as compared with 24 for April and 32 for March. In only two districts is the disease now noted as being prevalent. It is to be hoped that this improvement will continue, and that ere long we may have the satisfaction to report the whole county free from the influenza epidemic.

An improvement has also to be noted in *diphtheria* and croup; there has been a falling off from 15 cases and 2 deaths to 11 cases and 1 death. The principal centres this month are St. Germans (4 cases), the same number occurred last month, St. Austell Rural (2 cases), St. Austell Urban (1 case and 1 death).

Erysipelas has risen from 10 cases last month to 16 this, St. Germans and St. Austell each contributing 3 cases, Truro and Camborne each 2 cases. Scarlet fever has also increased; from 25 cases in April to 29 for May. Camborne is still the principal centre (8 cases), Bodmin Urban reports 4 cases. The recommendation of the M.O.H. that the "drains should be flushed and disinfected once every 14 days" should be promptly acted on, more especially so as now we have arrived at that time of the year when too much attention cannot be given to the condition of the drainage system. Typhoid shows an increase from 6 cases last month to 8 cases this.

Measles have fallen to 3 deaths. This shows a remarkable decrease from 15 deaths for April.

Whooping Cough shows a slight increase of 1 death on the month—the returns being 15 for April and 15 for May. Stratton, where there is an epidemic, contributing two-fifths of the total. It has been prevalent in Helston Rural, Launceston Urban, Penryn, and East Kerrier.

Phillack's death-rate for the month stands highest at 47.8. Nothing appears to have been done about the water. Calstock's death-rate is lowest at 3.9.

From the returns sent in it will be readily deduced that Cornwall, as a whole, has been exceedingly healthy during the last month, and that both the death-rate and disease-rate have sensibly decreased, which facts will doubtless, have their proper weight with that class of persons who will be selecting where to spend their vacation.

The County Council having authorised this committee to revert to its former system of monthly returns, to be posted month by month as soon as they can be compiled, it is desired that the medical officers and climatic observers (to all of whom the committee wishes again to express its obligation) will be as prompt as possible in sending in their returns so that the general circular may be despatched early and regularly.

(Signed on behalf of the Committee)

SILVANUS TREVAIL

Chairman.

OF BIRTHS, DEATHS, and INFECTIOUS DISEASE, within the a

			OF R	IK	THS, DE	AT	HS,	an	d I.	NF]	EC1	. 10	US	DI	SE	ASE	5, W	/ithir	n th	e a
Name and Address of	rict.		1891.				· 1000 n.	Deaths	hrate An.	. 1 yr.	ееп	over			Nотп			SCERT		ь С.
THE PERSON NAMED IN	District.	SANITARY			edical Officer	Births.	Birthrate per 1 per 1 per Annum.	Zym. D	ZymoticDeath per 1000 per	Deaths under	Deaths between 1 and 5.	85 k	Pox.	eria & Croup	las.	Scarlet Fever.		EVER		<b>T</b> 6
	No. of	DISTRICT.	Population,		of Health.	Total B	rthrat per A	Total Zy	motic r 100	aths	aths 1 a	Deaths,	Small P	Diplitheria Memb. Crou	Erysipelas.	nlet]	Typhoid.	(SContinued	Puerperal	Cases.
	Z (I)	. (2)	(3) Po		(4)	OL (5)	e Bin	3 To	(8) Zy	© De	(S) De	E De	(12	(E) (I)	.19 (4)	33 SG (15)	(9i) Ty	Con	® Pu€	(I9)
		RURAL											Z	Z		Z	Z	$  _{\mathbf{Z}}$		
	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	*STRATTON	7,122 11,529†		Ir. Braund Ir. Gibson	12	20	 No	i Re	2 turn	4	8								NN
-	3 4	*CALSTOCK (psh) *BOSCASTLE		M	Ir. BRODRICK Ir. C. WADE	10 9	19 53			2		2 2			1					1
	5 6	*CAMELFORD *LISKEARD	4,897 $22,464$	N	Ir. JEROME Ir. NETTLE	12 58	29 30	1	2.4	1 9	5	13				2	1			3
Care and Associated in	7 8	*ST. GERMANS *BODMIN	15,080 12,146	83	Ir. KERSWILL Ir. Mudge	$\begin{array}{c} 22 \\ 22 \end{array}$	17 21			2 1	1	6 4		1	-3	1 3	3			11 3
	9	*St. Columb *ST. AUSTELL	11,834† 27,218	SI	Or. MACKAY Ir. MASON	69 39	34 20	No 2	0.88		11 4	16 12		2	3	2 2				NN 7
	11 12	*TRURO *REDRUTH #EAST KERRIER	22,557 19,546 8,510	I	Ir. Bonar Dr. Permewan Ir. Blamey	49 17	30 23	2	1.2	6 3	3	9 7		1	1		1	::	• •	3
	13 14 15	*HELSTON *West Penwith	18.919	SN	Ir. HASWELL Ir. MUDGE	32	20	4 No	0·2 Re	6 turn	9	7			1	3			•••	1 4 NN
	10	URBAN						2.0												1,11
	16 17	*LAUNCESTON *LISKEARD	4,345 3,984	M	Ir. Gibson Ir. Nettle .	7 10	19 30	1	2.7	1		4				1	1			·· 2
	18 19	*SALTASH *BODMIN	2,541 5,151	§N	Or. Meadows Ir. Derry	4 7	14 16			1	1	5				4				4
	20 21	*LOSTWITHIEL TRURO CITY	1,496 11,131	3	Ir. SEWART	2 26	16 28 22			1	1 1	2 4			2	1		••	• •	3
	22 23 24	*PENRYN *FALMOUTH *HELSTON	3,256 $12.215$ $3,198$	I	Ir. Blamey  Or. Bullmore  Ir. Wearne	6 31 7	30 26			$\begin{vmatrix} 1\\4\\3 \end{vmatrix}$	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	1 7 1		1	1	1	2	i		6
	25 26	*ST. IVES PENZANCE	6,094 12,448	] N	Ir. Nicholls Ir. Millett	$\begin{vmatrix} 4 \\ 25 \end{vmatrix}$	8 24	1	1.9	2 4	2	$\frac{1}{2}$			1					··· 1
Ì	27 28	*PADSTOW *NEWQUAY	1,503 1,891	l N	Ir. MARLEY Or. HARDWICK	2 7	16 44	::		1		3								
	29 30	*ST. AUSTELL *REDRUTH	3,477 $10,334$	\$N	Ir. Mason Or. Hichens	5 17	17 19	1	3.4	6	2	6		1 <sup>(t)</sup>		1				2
	31 32	*CAMBORNE	14,700 4,009		Or. Erskine Or. Cleaver	46	36 27	1	2.9	3	6	4		1	$\begin{vmatrix} 2 \\ \end{vmatrix}$	8				NN
Į	33 34	*HAYLE *MADRON	1,142 2,810	M	Ir. Mudge Ir. Couch	3	31			1							• •			
	35 36	*PAUL *SCILLY ISLE	5,961 1,896		Ir. Boase Ir. Macklin	18	36 25	••		i.	1	$\frac{2}{\cdots}$	• •		1					1
ì		COUNTY	280,190	WHI	ERE RETURNS ARE AVAILABLE.	593	28	13	0.5	84	59	142		11(1)	16	29	8	1		54
	S	pecial Notice.	302,050 302,050	1894.	JANUARY FEBRUARY	669 685	26 27	52 33	2.1	125 141	49 53	282 185		34(14) 23(9)	25 <sup>(2)</sup> 15		15(1) 24(6)	$\frac{1}{2}$	1 1	230 177
	is :	Special attention again called to the	303,553 $292,024$	ry, 18	March	738 640	29 26	31 26	1.2	126 104	56 45	204 138	°13	125)		1065		3 1	1 4(1)	192 179
	Dai Mil	iries, Cowsheds, and kshops Orders, 1885	292,024 292,024	ma	MAY June	611 678	25 28	22 25	0.9	87 75	29 25	153 124	1	15(4)		2025	6(r) 7		•••	130 243
	and obli	1 1886, which are gatory upon every	292,024	Sum	JULY	629 668	26 27	26 24	1.1	53 51	32 25 29	106	4	17(1)	17(1) 17(1)	1467	7(2) 33	1(1)	3(1) 2(1)	152 220
		itary Authority.	292,024 292,024 292,024	nty	SEPTEMBER OCTOBER NOVEMBER	599 567	$\begin{array}{c c} 28 \\ 25 \\ 23 \end{array}$	35 31 30	1·4 1·3 1·2	77 86 69	30 30	102 156 131	1	14(5)		2285	58(2) 37(7)		1 1 1	$     \begin{array}{r}       198 \\       342 \\       257     \end{array} $
	to t	Attention is directed he provisions of the solution Hospitals	280,190	Con	DECEMBER	644	28	27	1.2	88	31	149					20(3)		2(1)	_
	Act	1893," (56 & 57 t. Capt. 68), and to	280,190 280,190	395.	JANUARY FEBRUARY	655 640	28 27	32 44	1·4 1·9	107 118	42 58	181 211		9(5) 9(1)	27(t)	93 64(4)	14(1) 27(3)	1		144
	the	Districts in Corn- l without such ac-	280,190 280,190	ry, 18	MARCH	735 676	31 29	21 28	0.9	88 123	46. 78	$     \begin{array}{c c}       2511 \\       254 \\       209     \end{array} $		9(1) 15(2)	9	50(3) 25(1)	6(1) 6	• •	](t)	74 57
	com	nmodation.	••••	ma	MAY . June	593	28	13	0.5	84	59	142		11(1)		29 	9	1		54
	He	dical Officers of alth will greatly		Sum	JULY AUGUST				• •			• •			••	••				
	wit	ige by being early th their Monthly turns.			SEPTEMBER OCTOBER	••	• •			••	• •				••	• •	••			
	110			County	November December			::			••	••			••	••	••			
400													-		-					

**REFERENCE.**—The Districts printed in **black type** have as yet failed to adopt the Notification Act. Districts m in these instances. Diseases marked with a "Z" are those taken as Zymotics for Statistical purposes. N.N. mea

<sup>1.—</sup> Whooping cough and influenza throughout the district generally, the former of rather a fatal type. 4.—Erysipelas, Upton Farm, Tin Torpoint, and Kilquite; scarlet fever at Penimble; erysipelas at Kingsand and Torpoint. One case of typhoid traced to polluted water, another t from infection carried from Bodmin Urban district, and the case at St. Tudy from taking down wall paper, &c. in a house in Camelford, whe 10.—Diphtheria at Grampound and St. Blazey; scarlatina at Mount Charles, erysipelas at Fowey, Tregonissey and Charlestown; measles from Focugh the health of the district has been exceptionally good. 14.—1 case of scarlet fever at Porthleven and 2 at Breageside; erysipelas at Coast fever at Wadeland terrace. 19.—Scarlet fever at Higher Bore Street, Downing Street and Beacon Terrace. Drains should be flushed and disinf New Street, Bank Place, Wellington Terrace and Park Road. 27.—District continues in a very healthy condition with the exception of chicker to state localities for diphtheria, erysipelas, and scarlet fever. 34.—District remarkably free from disease. This is the second consecutive month

of the Administrative County of Cornwall, for the Month of May, 1895.

of the	Au	mun	stra	live	Col	inty	OI	COLI	.I W al	11, 10	1 11.	ie mro		or way,	133		THE COURT PRINT
$egin{array}{c c} \hline \mathbb{R} & \ddots & $			Dyst.	Pneu-		ths :	)		Cases	her es.	ses	per 1000 per on month's returns.	per 1000 per on quarter's	Disease prevalen		General Remarks	District.
Disease per 1000 the Moy		Whooping Cough.	A	Bronchitis, Pneumonia, & Pleurisy	Phthisis.	Heart Disease	Influenza.	Cancer.	Inquest Cases	All other causes.	All Causes	D.R.	D.R. ann.	the Mont		AND Causes of Disease.	No. of I
(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)		(36)	
	Z	Z 6	Z	6			1		••	6	19	32.01	34.85		gh	Epidemic	$\frac{1}{2}$
0.54 0.13 0.73		. 1	••	1  12 2	  7 2	··· 2 3		2	1 1 2 1	1 3 5 17 7	2 4 9 43 14	3·9 23·89 21·50 22·97 11·11	13:34 29:86 21:30 18:87 16:9	None None		All deaths 65 and over 2 of the deaths 65 and over 4 of the deaths 65 and over Changeable weather Polluted water	3 4 5 6 7
$\begin{array}{c c} \cdot & 0.03 \\ \hline 0.02 \end{array}$			• •	2		••	1	1	1	5	10	9.8	19.7	21010		Tonuted water	8
0·25 0·13 0·05 0·11 0·2	2 1	1 3	1	13 3 1 3 7	7 3 1 	5 6 4 2 1	3 1  1	1 1 1 1 	7 4  2	15 14 18 7 15	54 32 27 16 29	23·8 17·0 16·5 22·12 18·34	26·0 22·7 20·4 19·94 24·88		gh ugh,	Measles at Fowey (imported) Changes of temperature District free from Scarlatina Epidemic Epidemic	9 10 11 12 13 11 15
0.50		1			1			 i	1 1	3 3	5 5 6	13·8 15·06 26·2	30·37 23·09 34·45	None		Otherwise healthy Healthy	16 17
$\begin{array}{c c} \cdot & \cdot \cdot \\ 0.77 \\ \cdot & 0.26 \end{array}$	•••	••	••	1 2	2	1 2			1 	6	9 3 12 3	20·96 24·06 12·9 10·84	28·76 24·00 17·9 20·84	Scar. Fev None None	8	Otherwise healthy 2 of the deaths 65 and over Very healthy Extremely healthy	18 19 20 21
0.49		2		1	4	2		2	i	9	21	20.63	22·8 21·26			Healthy	22 23
0.08		••	1	1 1	$\frac{1}{2}$	2			 1	3	7 17	13·78 16·38	24.28	None		Fairly healthy 5 of the death non-resident	24 25 26
				· · · · · · · · · · · · · · · · · · ·	1		i			4	1 6	7·9 38·07	15·8 21·18	Chicken I	Pox	Otherwise healthy Otherwise healthy	27 28
l . 0·85				$\frac{\cdot \cdot}{2}$	2			1		$\frac{1}{12}$	4 16	13 8 18·5	24·1 22·8	None None		1 death in Workhouse Very healthy	29 30
0.7		1	••	3 8	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\frac{2}{\cdots}$	2	1		9 4	17 16	13·6 47·8	19·7 42·8	None Pneumoni		Healthy High death-rate	31
	• •	• •				• • •		1		2	Nil. 3	12·81	17·51 25·62	None		Very healthy—death-rate nil District free from disease	33 34
0.16	: •			$\begin{vmatrix} 2 \\ \cdots \end{vmatrix}$					3	1	6	15·06 6·3	21·13 16·8	None None		Healthy Very low death-rate	35 36
0.19	3	15	3	74	39	33	13	15	27	181	421	18.03	No. D.	Sanitary District.	Principality of the Parish	May's Death Rates to Scale.	
6 0.76	1	18	9	159	30	40	37	19	45	279	663	26.34		URAL °	1	20 30 40	50
0 0·59 5 0·63		12 16	1	117 119	40 33	34 47	21 5	25 14	37 31		533		2 La 3 Ca	unceston Istock	o Retur	n	
5 0.61 7 0.45		12 13	1 2	93 75	51 47	31 38	$\begin{bmatrix} 2 \\ 3 \end{bmatrix}$	14 19	28 24	213	460 416		5 Ca	melford keard Germans		AMPRIPARATION PROCESSOR PROCESSOR PROCESSOR  MATERIAL DE CONTRACTOR PROCESSOR PROCESSOR  MATERIAL DE CONTRACTOR PROCESSOR PROC	
$\begin{array}{c c} 0.83 \\ 0.52 \end{array}$	2	$\begin{bmatrix} 12 \\ 8 \end{bmatrix}$	4 6	55 35	47 31	34 27	4	15 15	22 19	177	379 306		8 Bo	dmin	o Retur	n	
0.79 3 0.68		11 22	4 5	32 27	28 32	28 29	$\frac{1}{2}$	$\begin{array}{c} 26 \\ 23 \end{array}$	$\begin{array}{c} 21 \\ 27 \end{array}$	146 148	$\begin{array}{c} 308 \\ 323 \end{array}$	$12\ 66$ $13 \cdot 27$	11 Tr	uro druth Imouth			
6 1·17 1 0·88	i	12 9	7	52 58	33 28	36 31	3	20 18	33 21	191 172	403	16·56 14·92	14 He	iston nzance No	Retur	n	
0.68	6	9	4	62	29	41	2	21	30	195			16 La	RBAN unceston keard		opt prime.	
$\begin{bmatrix} 0.51 \\ 0.41 \end{bmatrix}$	7 18	16 14	3 4	83 119	25 38	43 45	6	17 14	33 39	$\begin{array}{c} 238 \\ 244 \end{array}$		20·21 23·51	18 Sa 19 Bo	dmin			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	8	6	2	122 116	30 29	48 48 45	32 $24$	18 17	36 36	275 280		24.93	22 Pe 23 Fa	nryn			
0.19	3	15	3	74	39	33	13	15	27	181	421		25 St. 26 Pe	lston lves nzance dstow			
		••			••						•••		28 Ne 29 St	wquay Austell druth			
							••	••	••		•••		31 Ca 32 Ph	mborne Illack yle Ni	il		NATIONAL PROPERTY.
													34 Ma	ul			
od 41aa %														County	c	owone ore & Returns were let	- CONTRACTOR

ed thus \* are without Isolation Hospitals. † These populations are omitted for the purpose of averages. § Returns were late to Notification. The following numbers refer to the number of the District in each case:—

6.—Scarlet fever, Ambrose Lake, St. Neot; typhoid fever, Linkinhorne. 7.—Typhoid fever at Wilcove and Torpoint; diphtheria at Wilcove, luxion of town soil. 8.—2 cases of scarlet fever at Blisland and 1 at Penrose, St. Tudy. The cases of scarlet fever at Blisland apparently originated be disease had prevailed a considerable time previously. M.O.H.'s return delayed by District Registrar failing to forward his return at proper time. imported from Polruan. 11.—2 cases of scarlet fever at Kenwyn, 1 at Ladock. 13.—Typhoid fever at Flushing. With the exception of whooping d station, Gunwalloc Attention should be given to water supply at Ashton, Breage and Kenegie. 17.—Scarlet fever at Carwinon Terrace; typhoid donce every 14 days. 21.—Scarlet fever case was at Clifton Terrace. District very healthy. 23.—The notifiable diseases were at Erisey Terrace, which is very prevalent, although of a mild type. 29.—Diphtheria at Ledrah Road; scarlatina at Carvath. 31.—The M.O.H. has again omitted hout notification. 35.—The case of erysipelas was at Mousehole.

# CLIMATOLOGICAL OBSERVATIONS IN CORNWALL

During the Month of MAY, 1895.

Readings taken Daily at 9 a.m. Local time.

Stations run from North to South.

	No. of Station.	100 100 100 100 100 100 100 100	
WIND.	Prevailing Direction.	N. W  N. WN. E.  N. WN. E.  N. WN. E.  N. WE.	
Sun.	Total Hours Bright Sunshine.	358.0 N	
-	.4881 yairub lstoT	42.71 40.14 40.14 40.14 40.14 40.14 42.44 40.78 53.78 53.78 53.78 63.78 63.78 63.78 64.24 65.71 66.72 67.19 67	
	Days on which	000 : : : \p 4 4 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	Greatest I Day.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
LI.	Неідрі вроте зев.	2000 16 16 1850 150 850 150 875 890 100 1117 255 250 800 278 40 1169 169 169 175 175 175 175 175 175 175 175 175 175	
RAINFALL.	Ditto for like period 1894.	14.94 13.84 13.84 19.50 19.50 19.50 19.50 13.16 15.34 16.74	
	[IslnisH IstoT .3981,.nst 4s1 mort	10.09 8.45 8.45 1.09 11.09	
	Ditto for like month, 1894.	8.8.8 8.00	
	Total during	11.26 0.38	
rel).	Relative Humidity	7.3 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5	
(Sea Level).	Bar. Lowest.	29.70 29.71 29.62 29.62 29.63 29.60 29.71 29.60 29.70 29.61 29.61 29.61 29.61 29.63 29.63 29.63 29.64 29.64 29.64 29.64 29.64 29.65 20.65	
	Bar. Highest.	30.66 30.55	
BAROMETER	Monthly Means.	30.10 30.10 30.01 30.02 30.03 30.10 30.10 30.04 30.10 30.04 30.05 30.00	
	Least Daily Range.	3.2 3.2 3.2 4.6 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	
	Mean Daily Range of Temp.	18:00 18:00 19:00 10:00 10:00 10:00 11:14 10:00 10:00 11:18 11	
heit).	Ditto for like month, 1894.	50.60 50.60 51.00 48.20 55.09 51.20 51.20 51.20 51.20 51.20 51.20	
(Fahrenheit).	Mean Temp. Corrected.	52.9 52.9 52.90 53.90 54.93 54.40 54.40 54.40 55.90 55.90	
	Minimum Temp.	32.6 32.6 38.0 38.0 38.0 38.0 38.0 38.0 38.0 38.0	
TEMPERATURE	Greatest Daily Range.	28.5 28.5 28.5 25.6	
TEME	Max. Temp.	1.8 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	
	Mean Temp. Wet Bulb.	50.70 53.00 53.00 51.50 51.50 51.50 51.50 60.60 60.60 60.60	
	Mean Temp. Dry Bulb.	55.10 56.00 56.90 52.93 52.93 52.93 52.93 52.93 52.90 52.90 52.90 52.90 52.90 52.90 52.90 52.90	
	OBSERVER.	Colonel Field  Mr. S. Bensley  fCapt. Ching, R.N.  Mr. H. Wadge  Mr. W. T. Johnson  SMr. S. W. Jenkin  Preb. J. T. Every  SDr. Hardwick  Mr. H. V. Prigg  Mr. W. Marchant  Mr. W. Marchant  Mr. W. H. Bennett  SMr. W. Coode  Mr. H. Tresawna  Mr. H. Tresawna  Mr. H. Johie  Mr. A. H. Jenkin  SMr. A. Gregg  SMr. A. H. Jenkin  Mr. E. Kitto  SRev. G. B. Hooper  Mr. E. Kitto  SRev. G. B. Hooper  Mr. E. Kitto  SRev. G. B. Hooper  Mr. B. Kitto  Sreb. Hedgeland  SRev. G. B. Hooper  Mr. T. W. Field  SPreb. Hedgeland  SRev. G. B. Hooper  Mr. T. W. Kield  Mr. S. Charlton  Mr. J. Jenkin  Har. J. Jenkin	
	Stations where the Observations were taken. (North to South)	POUGHILL  *TINTAGEL  *TINTAGEL  *TAUNCESTON  *TREVOSE HEAD  #INGSTON DOWN  PENTILLE CASTLE LISKEARD  LANHYDROCK  NEWQUAY  PLYMOUTH  MENABILLY  ST. AUSTELL  PROBUS  PROBUS  PROBUS  PROBUS  PROBUS  PROBUS  PROBUS  REDRUTH (Ob.)  ST. IVES  PRILLACK  FALMOUTH (Ob.)  ST. IVES  PRILLACK  FALMOUTH (Ob.)  ST. IVES  REDRUTH  REDRUTH  REDRUTH  REDRUTH ST. IVES  PRILLACK  FALMOUTH (Ob.)  ST. IVES  REDRUTH  REDRUTH ST. IVES  " (Penler)  " (Morrabs)  LAND'S END  *LIZARD LIGHTS  SCILLY, St. Mary's  SCILLY, St. Mary's  SCILLY, St. Mary's  COUNTY MEANS	
	noited No. oV	1	

Late Returns. \*Instruments wanted for these Stations. † Returns not to hand at time of going to press. Sea temperatures: Poughill, 53° on 14th, at 7 a.m., 55° on 30th, at 7 a.m., (54° on 16th of like month last year); St. Ives 55°; Scilly (St. Mary's), 54°. The following numbers refer to the number of the district in each case:—

13.—Hail shower on 11th. 1.—Remarkably dry as '26 in. rain fell after 7.3 p.m. on 31st. 2.—Rainfall below average of 10 years. 10.—Thunderstorm on 6th, thick mist and heavy dews on 13th and 14th. 21.—Fog during evening of 14th. Solar Halo on 30th, at 5.20 p.m. 25.—Driest May for over 30 years. 29.—Thunderstorm on 31st, ending in a severe gale of a few minutes duration only.

TREVAIL.

(Signed) SILVANUS

Truro, June 24th, 1895.